ELSEVIER

Palaeogeography, Palaeoclimatology, Palaeoecology 149 (1999) 433–434

PALAEO

Contents Volume 149, 1999

Special Issue: Taphonomy as a Tool in Paleoenvironmental Reconstruction and Environmental Assessment
Edited by R.E. Martin, R.T. Patterson, S.T. Goldstein and A. Kumar

Preface: Taphonomy as an environmental science vii

Paleobotany

A mechanism to explain the preservation of leaf litter lenses in coals derived from raised mires
R.A. Gastaldo and J.R. Staub 1

Leaf venation density as a climate and environmental proxy: a critical review and new data
D. Uhl and V. Mosbrugger 15

Trace fossils

Taphonomy of trace fossils at omission surfaces (Middle Triassic, East Germany)
M. Bertling 27

Micropaleontology

r-Selected benthic foraminifera with associated bacterial colonies in Upper Pleistocene sediments of the Ross Sea (Antarctica): implications for calcium carbonate preservation
R. Barbieri, S. D'Onofrio, R. Melis and F. Westall 41

The application of a foraminiferal actuo-facies model to salt-marsh cores
S. de Rijk and S. Troelstra 59

Differential rates of benthic foraminiferal test production in surface and subsurface sediment habitats in the southern Adriatic Sea
H.C. de Stigter, G.J. van der Zwaan and L. Langone 67

The use of *Jadammina macrescens* (Brady) and *Balticammina pseudomacrescens* Brönnimann, Lutze and Whittaker (Protozoa: Foraminiferida) as sea-level indicators
W.R. Gehrels and O. van de Plassche 89

Taphonomy of salt marsh foraminifera: an example from coastal Georgia
S.T. Goldstein and G.T. Watkins 103

Foraminifera as an indicator of overwash deposits, Barrier Island sediment supply, and Barrier Island evolution: Folly Island, South Carolina
S.P. Hippensteel and R.E. Martin 115

The distribution of contemporary intertidal foraminifera at Cowpen Marsh, Tees Estuary, UK: implications for studies of Holocene sea-level changes
B.P. Horton 127

Ecological evidence from live–dead comparisons of benthic foraminiferal faunas off Cape Blanc (Northwest Africa)
F.J. Jorissen and I. Wittling 151

Offshore transport of neritic diatoms as indicators of surface current and trade wind strength in the Plio-Pleistocene eastern equatorial Pacific
K. Kennington, S.K. Haslett and B.M. Funnell 171
Taphonomic experiments on marginal marine foraminiferal assemblages: how much ecological information is preserved?
J.W. Murray and E. Alve 183
Taphonomy of tidal marsh foraminifera: implications of surface sample thickness for high-resolution sea-level studies
R.T. Patterson, J.-P. Guilbault and J.J. Clague 199
Gradient analysis of diatom assemblages in a Puget Sound salt marsh: can such assemblages be used for quantitative paleoecological reconstructions?
B.L. Sherrod 213
Taphonomic tiering: experimental field taphonomy of molluscs and foraminifera above and below the sediment–water interface
S.E. Walker and S.T. Goldstein 227

Palynology

Quaternary pollen taphonomy: examples of differential redeposition and differential preservation
I.D. Campbell 245
Pollen transport through distributaries and depositional patterns in coastal waters
G.L. Chmura, A. Smirnov and I.D. Campbell 257
Taphonomy of pollen associated with predation
Y. Fernández-Jalvo, L. Scott and C. Denys 271

Invertebrate Paleontology

Taphonomic processes affecting late Quaternary molluscs along the coastal area of Buenos Aires Province (Argentina, Southwestern Atlantic)
M.L. Aguirre and E.A. Farinati 283
Organic matrix taphonomy in some molluscan shell microstructures
G.R. Clark II 305
Palaeozoic stromatoporoid taphonomy: ecologic and environmental significance
S. Kershaw and F.R. Brunton 313
Echinoid concentration beds: two examples from the stratigraphic spectrum
H.A. Moffat and D.J. Bottjer 329
Taphonomic comparison between Recent and fossil sand dollars
J. Nebelsick 349

Vertebrate Paleontology

Environmental information in a recent bone assemblage: roles of taphonomic processes and ecological change
A.H. Cutler, A.K. Behrensmeyer and R.E. Chapman 359
Flesh availability and bone modifications in carcasses consumed by lions: palaeoecological relevance in hominid foraging patterns
M. Domínguez-Rodrigo 373
Fidelity of terrestrial vertebrate fossils to a modern ecosystem
E.A. Hadly 389
Amphibian taphonomy and its application to the fossil record of Dolina (middle Pleistocene, Atapuerca, Spain)
A.C. Pinto Llona and P.J. Andrews 411

Author Index Volume 149 431